

- Quality Products & Services
- On-time Delivery
- Continual Improvement
- Effective Employee Training
- Customer Satisfaction



Providing Quality
You Can Trust
for Over 55 Years!

■ Barium, Ba (May be packed in oil)

Size	Barium, Ba (99.5% Purity)		Price
	Part No.	Stocked Item	
1.00" Diameter x 0.125" Thickness	EJTBAXX251A2		Call
1.00" Diameter x 0.250" Thickness	EJTBAXX251A4		Call
2.00" Diameter x 0.125" Thickness	EJTBAXX252A2		Call
2.00" Diameter x 0.250" Thickness	EJTBAXX252A4		Call
3.00" Diameter x 0.125" Thickness	EJTBAXX253A2		Call
3.00" Diameter x 0.250" Thickness	EJTBAXX253A4		Call
4.00" Diameter x 0.125" Thickness	EJTBAXX254A2		Call
4.00" Diameter x 0.250" Thickness	EJTBAXX254A4		Call

■ Barium Ferrite, BaFe₁₂O₁₉ (Bond)

Size	Barium Ferrite, BaFe ₁₂ O ₁₉ (99.9% Purity)		Price
	Part No.	Stocked Item	
1.00" Diameter x 0.125" Thickness	EJTBAFE301A2		Call
1.00" Diameter x 0.250" Thickness	EJTBAFE301A4		Call
2.00" Diameter x 0.125" Thickness	EJTBAFE302A2		Call
2.00" Diameter x 0.250" Thickness	EJTBAFE302A4		Call
3.00" Diameter x 0.125" Thickness	EJTBAFE303A2		Call
3.00" Diameter x 0.250" Thickness	EJTBAFE303A4		Call
4.00" Diameter x 0.125" Thickness	EJTBAFE304A2		Call
4.00" Diameter x 0.250" Thickness	EJTBAFE304A4		Call

■ Barium Titanate, BaTiO₃ (Bond)

Size	Barium Titanate, BaTiO ₃ (99.9% Purity)		Price
	Part No.	Stocked Item	
1.00" Diameter x 0.125" Thickness	EJTBATIO31A2		Call
1.00" Diameter x 0.250" Thickness	EJTBATIO31A4		Call
2.00" Diameter x 0.125" Thickness	EJTBATIO32A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTBATIO32A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTBATIO33A2		Call
3.00" Diameter x 0.250" Thickness	EJTBATIO33A4		Call
4.00" Diameter x 0.125" Thickness	EJTBATIO34A2		Call
4.00" Diameter x 0.250" Thickness	EJTBATIO34A4		Call

➤ **Barium Compounds
& Bismuth**

Barium Fluoride, BaF₂ (Bond)

Size	Barium Fluoride, BaF ₂ (99.9% Purity) Part No.	Stocked Item	Price
2.00" Diameter x 0.125" Thickness	EJTBAFX302A2		Call
2.00" Diameter x 0.250" Thickness	EJTBAFX302A4		Call
3.00" Diameter x 0.125" Thickness	EJTBAFX303A2		Call
3.00" Diameter x 0.250" Thickness	EJTBAFX303A4		Call
4.00" Diameter x 0.125" Thickness	EJTBAFX304A2		Call
4.00" Diameter x 0.250" Thickness	EJTBAFX304A4		Call
5.00" Diameter x 0.125" Thickness	EJTBAFX305A2		Call
5.00" Diameter x 0.250" Thickness	EJTBAFX305A4		Call
6.00" Diameter x 0.125" Thickness	EJTBAFX306A2		Call
6.00" Diameter x 0.250" Thickness	EJTBAFX306A4		Call
8.00" Diameter x 0.125" Thickness	EJTBAFX308A2		Call
8.00" Diameter x 0.250" Thickness	EJTBAFX308A4		Call

Barium Strontium Titanate, Ba_{0.5}Sr_{0.5}TiO₃ (Bond)

Size	Barium Strontium Titanate, Ba _{0.5} Sr _{0.5} TiO ₃ (99.9% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTBSTO301A2		Call
1.00" Diameter x 0.250" Thickness	EJTBSTO301A4		Call
2.00" Diameter x 0.125" Thickness	EJTBSTO302A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTBSTO302A4		Call
3.00" Diameter x 0.125" Thickness	EJTBSTO303A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTBSTO303A4		Call
4.00" Diameter x 0.125" Thickness	EJTBSTO304A2		Call
4.00" Diameter x 0.250" Thickness	EJTBSTO304A4		Call

* Other compositions are available on request.



Barium Strontium Titanate, Ba_{0.5}Sr_{0.5}TiO₃

10

Deposition Materials

Bismuth, Bi (Porosity, Surface Imperfections)

Size	Bismuth, Bi (99.9%-99.999% Purity) Part No.	Stocked Item	Price
1.0" Diameter x 0.125" Thickness	EJTBIXX501A2		Call
1.0" Diameter x 0.250" Thickness	EJTBIXX501A4		Call
2.0" Diameter x 0.125" Thickness	EJTBIXX502A2		Call
2.0" Diameter x 0.250" Thickness	EJTBIXX502A4		Call
3.0" Diameter x 0.125" Thickness	EJTBIXX503A2		Call
3.0" Diameter x 0.250" Thickness	EJTBIXX503A4		Call
4.0" Diameter x 0.125" Thickness	EJTBIXX504A2		Call
4.0" Diameter x 0.250" Thickness	EJTBIXX504A4		Call



Bismuth, Bi

➤ *Bismuth Compounds*

■ **Bismuth Oxide, Bi_2O_3** (Bond)

Size	Bismuth Oxide, Bi_2O_3 (99.99% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTBIOX501A2		Call
1.00" Diameter x 0.250" Thickness		EJTBIOX501A4		Call
2.00" Diameter x 0.125" Thickness		EJTBIOX502A2		Call
2.00" Diameter x 0.250" Thickness		EJTBIOX502A4		Call
3.00" Diameter x 0.125" Thickness		EJTBIOX503A2		Call
3.00" Diameter x 0.250" Thickness		EJTBIOX503A4		Call
4.00" Diameter x 0.125" Thickness		EJTBIOX504A2		Call
4.00" Diameter x 0.250" Thickness		EJTBIOX504A4		Call

■ **Bismuth Selenide, Bi_2Se_3** (Bond)

Size	Bismuth Selenide, Bi_2Se_3 (99.999% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTBISE501A2		Call
1.00" Diameter x 0.250" Thickness		EJTBISE501A4		Call
2.00" Diameter x 0.125" Thickness		EJTBISE502A2		Call
2.00" Diameter x 0.250" Thickness		EJTBISE502A4		Call
3.00" Diameter x 0.125" Thickness		EJTBISE503A2		Call
3.00" Diameter x 0.250" Thickness		EJTBISE503A4		Call
4.00" Diameter x 0.125" Thickness		EJTBISE504A2		Call
4.00" Diameter x 0.250" Thickness		EJTBISE504A4		Call

■ **Bismuth Telluride, Bi_2Te_3** (Bond)

Size	Bismuth Telluride, Bi_2Te_3 (99.999% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTBITE501A2		Call
1.00" Diameter x 0.250" Thickness		EJTBITE501A4		Call
2.00" Diameter x 0.125" Thickness		EJTBITE502A2		Call
2.00" Diameter x 0.250" Thickness		EJTBITE502A4		Call
3.00" Diameter x 0.125" Thickness		EJTBITE503A2		Call
3.00" Diameter x 0.250" Thickness		EJTBITE503A4		Call
4.00" Diameter x 0.125" Thickness		EJTBITE504A2		Call
4.00" Diameter x 0.250" Thickness		EJTBITE504A4		Call
6.00" Diameter x 0.250" Thickness		EJTBITE506A4		Call
8.00" Diameter x 0.250" Thickness		EJTBITE508A4		Call

■ **Bismuth Titanate, $Bi_4Ti_3O_{12}$** (Bond)

Size	Bismuth Titanate, $Bi_4Ti_3O_{12}$ (99.9% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTBITO301A2		Call
1.00" Diameter x 0.250" Thickness		EJTBITO301A4		Call
2.00" Diameter x 0.125" Thickness		EJTBITO302A2		Call
2.00" Diameter x 0.250" Thickness		EJTBITO302A4		Call
3.00" Diameter x 0.125" Thickness		EJTBITO303A2		Call
3.00" Diameter x 0.250" Thickness		EJTBITO303A4		Call
4.00" Diameter x 0.125" Thickness		EJTBITO304A2		Call
4.00" Diameter x 0.250" Thickness		EJTBITO304A4		Call

Kurt J. Lesker
Company

REMANUFACTURED PUMPS

100% REBUILT AND CERTIFIED
12 MONTH WARRANTY ON ALL PUMPS
PUMP EXCHANGE PROGRAM

Cryo Turbo Rotary Vane
Scroll Rotary Piston Ion
Diffusion Screw Blower
Dry Process

VISIT WWW.LESKER.COM/REMAN
FOR UP TO DATE INVENTORY

➤ Boron & Compounds

■ **Boron, B** (Bond, Density 60-80%)

Size	Boron, B (99.5% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTBXXX251A2		Call
1.00" Diameter x 0.250" Thickness	EJTBXXX251A4		Call
2.00" Diameter x 0.125" Thickness	EJTBXXX252A2		Call
2.00" Diameter x 0.250" Thickness	EJTBXXX252A4		Call
3.00" Diameter x 0.125" Thickness	EJTBXXX253A2		Call
3.00" Diameter x 0.250" Thickness	EJTBXXX253A4		Call
4.00" Diameter x 0.125" Thickness	EJTBXXX254A2		Call
4.00" Diameter x 0.250" Thickness	EJTBXXX254A4		Call
6.00" Diameter x 0.250" Thickness	EJTBXXX256A4		Call
8.00" Diameter x 0.250" Thickness	EJTBXXX258A4		Call



Boron, B

■ **Boron Nitride, BN** (Bond)

Size	Boron Nitride, BN (99.99% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTBNXX401A2		Call
1.00" Diameter x 0.250" Thickness	EJTBNXX401A4		Call
2.00" Diameter x 0.125" Thickness	EJTBNXX402A2		Call
2.00" Diameter x 0.250" Thickness	EJTBNXX402A4		Call
3.00" Diameter x 0.125" Thickness	EJTBNXX403A2		Call
3.00" Diameter x 0.250" Thickness	EJTBNXX403A4		Call
4.00" Diameter x 0.125" Thickness	EJTBNXX404A2		Call
4.00" Diameter x 0.250" Thickness	EJTBNXX404A4		Call
6.00" Diameter x 0.125" Thickness	EJTBNXX406A2		Call
6.00" Diameter x 0.250" Thickness	EJTBNXX406A2		Call
8.00" Diameter x 0.125" Thickness	EJTBNXX408A2		Call
8.00" Diameter x 0.250" Thickness	EJTBNXX408A4		Call



Boron Nitride, BN

Size	Boron Nitride, BN (99.5% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTBNXX251A2		Call
1.00" Diameter x 0.250" Thickness	EJTBNXX251A4		Call
2.00" Diameter x 0.125" Thickness	EJTBNXX252A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTBNXX252A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTBNXX253A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTBNXX253A4		Call
4.00" Diameter x 0.125" Thickness	EJTBNXX254A2		Call
4.00" Diameter x 0.250" Thickness	EJTBNXX254A4		Call
6.00" Diameter x 0.125" Thickness	EJTBNXX256A2		Call
6.00" Diameter x 0.125" Thickness	EJTBNXX256A4		Call
8.00" Diameter x 0.125" Thickness	EJTBNXX258A2		Call
8.00" Diameter x 0.250" Thickness	EJTBNXX258A4		Call

■ **Boron Carbide, B₄C** (Bond)

Size	Boron Carbide, B ₄ C (99.5% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTBCXX251A2		Call
1.00" Diameter x 0.250" Thickness	EJTBCXX251A4		Call
2.00" Diameter x 0.125" Thickness	EJTBCXX252A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTBCXX252A4		Call
3.00" Diameter x 0.125" Thickness	EJTBCXX253A2		Call
3.00" Diameter x 0.250" Thickness	EJTBCXX253A4		Call
4.00" Diameter x 0.125" Thickness	EJTBCXX254A2	•	Call
4.00" Diameter x 0.250" Thickness	EJTBCXX254A4		Call
6.00" Diameter x 0.125" Thickness	EJTBCXX256A2		Call
6.00" Diameter x 0.250" Thickness	EJTBCXX256A4		Call
8.00" Diameter x 0.125" Thickness	EJTBCXX258A2		Call
8.00" Diameter x 0.250" Thickness	EJTBCXX258A4		Call



Boron Carbide, B₄C