

## ➤ Cadmium & Compounds

### ■ Cadmium, Cd (Porosity, Surface Imperfections)

Size	Cadmium, Cd (99.999% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTCDXX501A2	•	Call
1.00" Diameter x 0.250" Thickness		EJTCDXX501A4		Call
2.00" Diameter x 0.125" Thickness		EJTCDXX502A2		Call
2.00" Diameter x 0.250" Thickness		EJTCDXX502A4		Call
3.00" Diameter x 0.125" Thickness		EJTCDXX503A2		Call
3.00" Diameter x 0.250" Thickness		EJTCDXX503A4		Call
4.00" Diameter x 0.125" Thickness		EJTCDXX504A2		Call
4.00" Diameter x 0.250" Thickness		EJTCDXX504A4		Call

### ■ Cadmium Selenide, CdSe (Bond)

Size	Cadmium Selenide, CdSe (99.995% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTCDSE451A2		Call
1.00" Diameter x 0.250" Thickness		EJTCDSE451A4		Call
2.00" Diameter x 0.125" Thickness		EJTCDSE452A2		Call
2.00" Diameter x 0.250" Thickness		EJTCDSE452A4		Call
3.00" Diameter x 0.125" Thickness		EJTCDSE453A2		Call
3.00" Diameter x 0.250" Thickness		EJTCDSE453A4		Call
4.00" Diameter x 0.125" Thickness		EJTCDSE454A2		Call
4.00" Diameter x 0.250" Thickness		EJTCDSE454A4		Call

### ■ Cadmium Sulfide, CdS (Bond)

Size	Cadmium Sulfide, CdS (99.99% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTCDSX401A2		Call
1.00" Diameter x 0.250" Thickness		EJTCDSX401A4		Call
2.00" Diameter x 0.125" Thickness		EJTCDSX402A2		Call
2.00" Diameter x 0.250" Thickness		EJTCDSX402A4		Call
3.00" Diameter x 0.125" Thickness		EJTCDSX403A2		Call
3.00" Diameter x 0.250" Thickness		EJTCDSX403A4		Call
4.00" Diameter x 0.125" Thickness		EJTCDSX404A2		Call
4.00" Diameter x 0.250" Thickness		EJTCDSX404A4		Call

### ■ Cadmium Telluride, CdTe (Bond)

Size	Cadmium Telluride, CdTe (99.999% Purity)		Stocked Item	Price
		Part No.		
1.00" Diameter x 0.125" Thickness		EJTCDTE501A2		Call
1.00" Diameter x 0.250" Thickness		EJTCDTE501A4		Call
2.00" Diameter x 0.125" Thickness		EJTCDTE502A2		Call
2.00" Diameter x 0.250" Thickness		EJTCDTE502A4		Call
3.00" Diameter x 0.125" Thickness		EJTCDTE503A2		Call
3.00" Diameter x 0.250" Thickness		EJTCDTE503A4		Call
4.00" Diameter x 0.125" Thickness		EJTCDTE504A2		Call
4.00" Diameter x 0.250" Thickness		EJTCDTE504A4		Call



Cadmium Telluride, CdTe

# ➤ Carbon, Cerium & Cerium Compounds

## ■ Carbon (Graphite), C (Bond)

Size	Carbon (Graphite), C (99.999% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCXXX501A2		Call
1.00" Diameter x 0.250" Thickness	EJTCXXX501A4	•	Call
2.00" Diameter x 0.125" Thickness	EJTCXXX502A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTCXXX502A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTCXXX503A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTCXXX503A4	•	Call
4.00" Diameter x 0.125" Thickness	EJTCXXX504A2		Call
4.00" Diameter x 0.250" Thickness	EJTCXXX504A4		Call
6.00" Diameter x 0.250" Thickness	EJTCXXX506A4		Call
8.00" Diameter x 0.250" Thickness	EJTCXXX508A4		Call

## ■ Carbon (Pyrolytic Graphite), C (Bond)

Size	Carbon (Graphite, Pyrolytic), C (99.999% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTPYRO501A2		Call
1.00" Diameter x 0.250" Thickness	EJTPYRO501A4		Call
2.00" Diameter x 0.125" Thickness	EJTPYRO502A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTPYRO502A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTPYRO503A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTPYRO503A4		Call
4.00" Diameter x 0.125" Thickness	EJTPYRO504A2		Call
4.00" Diameter x 0.250" Thickness	EJTPYRO504A4		Call
6.00" Diameter x 0.250" Thickness	EJTPYRO506A4		Call

## ■ Cerium, Ce (May Be Packed In Oil)

Size	Cerium, Ce (99.9% Purity TREM) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCEXX301A2		Call
1.00" Diameter x 0.250" Thickness	EJTCEXX301A4		Call
2.00" Diameter x 0.125" Thickness	EJTCEXX302A2		Call
2.00" Diameter x 0.250" Thickness	EJTCEXX302A4		Call
3.00" Diameter x 0.125" Thickness	EJTCEXX303A2		Call
3.00" Diameter x 0.250" Thickness	EJTCEXX303A4		Call
4.00" Diameter x 0.125" Thickness	EJTCEXX304A2		Call
4.00" Diameter x 0.250" Thickness	EJTCEXX304A4		Call

## ■ Cerium Fluoride, CeF<sub>3</sub> (Bond)

Size	Cerium Fluoride, CeF <sub>3</sub> (99.995% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCEFX451A2		Call
1.00" Diameter x 0.250" Thickness	EJTCEFX451A4		Call
2.00" Diameter x 0.125" Thickness	EJTCEFX452A2		Call
2.00" Diameter x 0.250" Thickness	EJTCEFX452A4		Call
3.00" Diameter x 0.125" Thickness	EJTCEFX453A2		Call
3.00" Diameter x 0.250" Thickness	EJTCEFX453A4		Call
4.00" Diameter x 0.125" Thickness	EJTCEFX454A2		Call
4.00" Diameter x 0.250" Thickness	EJTCEFX454A4		Call
6.00" Diameter x 0.125" Thickness	EJTCEFX456A2		Call
6.00" Diameter x 0.250" Thickness	EJTCEFX456A4		Call
8.00" Diameter x 0.125" Thickness	EJTCEFX458A2		Call
8.00" Diameter x 0.250" Thickness	EJTCEFX458A4		Call

## ■ Cerium Oxide, CeO<sub>2</sub> (Bond)

Size	Cerium Oxide, CeO <sub>2</sub> (99.99% Purity) Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCEOX401A2		Call
1.00" Diameter x 0.250" Thickness	EJTCEOX401A4		Call
2.00" Diameter x 0.125" Thickness	EJTCEOX402A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTCEOX402A4		Call
3.00" Diameter x 0.125" Thickness	EJTCEOX403A2		Call
3.00" Diameter x 0.250" Thickness	EJTCEOX403A4		Call
4.00" Diameter x 0.125" Thickness	EJTCEOX404A2		Call
4.00" Diameter x 0.250" Thickness	EJTCEOX404A4		Call



Carbon (Graphite), C



Cerium Oxide, CeO<sub>2</sub>

# ► Chromium, Chromium Compounds & Cobalt



Chromium, Cr

## ■ Chromium, Cr

Size	Chromium, Cr (99.95% Purity)		Stocked Item	Price
	Part No.			
1.00" Diameter x 0.125" Thickness	EJTCRXX351A2		•	Call
1.00" Diameter x 0.250" Thickness	EJTCRXX351A4		•	Call
2.00" Diameter x 0.125" Thickness	EJTCRXX352A2		•	Call
2.00" Diameter x 0.250" Thickness	EJTCRXX352A4		•	Call
3.00" Diameter x 0.125" Thickness	EJTCRXX353A2		•	Call
3.00" Diameter x 0.250" Thickness	EJTCRXX353A4		•	Call
4.00" Diameter x 0.125" Thickness	EJTCRXX354A2		•	Call
4.00" Diameter x 0.250" Thickness	EJTCRXX354A4		•	Call
6.00" Diameter x 0.125" Thickness	EJTCRXX356A2			Call
6.00" Diameter x 0.250" Thickness	EJTCRXX356A4		•	Call
8.00" Diameter x 0.125" Thickness	EJTCRXX358A2			Call
8.00" Diameter x 0.250" Thickness	EJTCRXX358A4		•	Call



Chromium Oxide, Cr<sub>2</sub>O<sub>3</sub>

## ■ Chromium Oxide, Cr<sub>2</sub>O<sub>3</sub> (Bond)

Size	Chromium Oxide, Cr <sub>2</sub> O <sub>3</sub> (99.8%-99.9% Purity)		Stocked Item	Price
	Part No.			
1.00" Diameter x 0.125" Thickness	EJTCROX281A2			Call
1.00" Diameter x 0.250" Thickness	EJTCROX281A4			Call
2.00" Diameter x 0.125" Thickness	EJTCROX282A2			Call
2.00" Diameter x 0.250" Thickness	EJTCROX282A4			Call
3.00" Diameter x 0.125" Thickness	EJTCROX283A2			Call
3.00" Diameter x 0.250" Thickness	EJTCROX283A4			Call
4.00" Diameter x 0.125" Thickness	EJTCROX284A2			Call
4.00" Diameter x 0.250" Thickness	EJTCROX284A4			Call

## ■ Chromium Silicide, CrSi<sub>2</sub> (Bond)

Size	Chromium Silicide, CrSi <sub>2</sub> (99.5% Purity)		Stocked Item	Price
	Part No.			
1.00" Diameter x 0.125" Thickness	EJTCRSI251A2			Call
1.00" Diameter x 0.250" Thickness	EJTCRSI251A4			Call
2.00" Diameter x 0.125" Thickness	EJTCRSI252A2		•	Call
2.00" Diameter x 0.250" Thickness	EJTCRSI252A4			Call
3.00" Diameter x 0.125" Thickness	EJTCRSI253A2			Call
3.00" Diameter x 0.250" Thickness	EJTCRSI253A4			Call
4.00" Diameter x 0.125" Thickness	EJTCRSI254A2			Call
4.00" Diameter x 0.250" Thickness	EJTCRSI254A4			Call
6.00" Diameter x 0.125" Thickness	EJTCRSI256A2			Call
6.00" Diameter x 0.250" Thickness	EJTCRSI256A4			Call
8.00" Diameter x 0.125" Thickness	EJTCRSI258A2			Call
8.00" Diameter x 0.250" Thickness	EJTCRSI258A4			Call

## ■ Cobalt, Co (Magnetic)

Size	Cobalt, Co (99.95% Purity)		Stocked Item	Price
	Part No.			
1.00" Diameter x 0.125" Thickness	EJTCOXX351A2		•	Call
1.00" Diameter x 0.250" Thickness	EJTCOXX351A4			Call
2.00" Diameter x 0.125" Thickness	EJTCOXX352A2		•	Call
2.00" Diameter x 0.250" Thickness	EJTCOXX352A4		•	Call
3.00" Diameter x 0.125" Thickness	EJTCOXX353A2		•	Call
3.00" Diameter x 0.250" Thickness	EJTCOXX353A4		•	Call
4.00" Diameter x 0.125" Thickness	EJTCOXX354A2		•	Call
4.00" Diameter x 0.250" Thickness	EJTCOXX354A4			Call
6.00" Diameter x 0.125" Thickness	EJTCOXX356A2			Call
6.00" Diameter x 0.250" Thickness	EJTCOXX356A4			Call
8.00" Diameter x 0.125" Thickness	EJTCOXX358A2			Call
8.00" Diameter x 0.250" Thickness	EJTCOXX358A4			Call



Cobalt, Co

# ➤ Cobalt Oxide, Copper & Copper Oxide

## ■ Cobalt Oxide, CoO (Bond)

Cobalt Oxide, CoO (99.9% Purity)			
Size	Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCOOX301A2		Call
1.00" Diameter x 0.250" Thickness	EJTCOOX301A4		Call
2.00" Diameter x 0.125" Thickness	EJTCOXX302A2		Call
2.00" Diameter x 0.250" Thickness	EJTCOXX302A4		Call
3.00" Diameter x 0.125" Thickness	EJTCOXX303A2		Call
3.00" Diameter x 0.250" Thickness	EJTCOXX303A4		Call
4.00" Diameter x 0.125" Thickness	EJTCOXX304A2		Call
4.00" Diameter x 0.250" Thickness	EJTCOXX304A4		Call

Cobalt Oxide, CoO (99.95% Purity)			
Size	Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCOOX351A2		Call
1.00" Diameter x 0.250" Thickness	EJTCOOX351A4		Call
2.00" Diameter x 0.125" Thickness	EJTCOXX352A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTCOXX352A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTCOXX353A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTCOXX353A4	•	Call
4.00" Diameter x 0.125" Thickness	EJTCOXX354A2	•	Call
4.00" Diameter x 0.250" Thickness	EJTCOXX354A4	•	Call

## ■ Copper, Cu

Copper, Cu (99.999% Purity)			
Size	Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCUXX501A2		Call
1.00" Diameter x 0.250" Thickness	EJTCUXX501A4	•	Call
2.00" Diameter x 0.125" Thickness	EJTCUXX502A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTCUXX502A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTCUXX503A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTCUXX503A4	•	Call
4.00" Diameter x 0.125" Thickness	EJTCUXX504A2	•	Call
4.00" Diameter x 0.250" Thickness	EJTCUXX504A4	•	Call
6.00" Diameter x 0.125" Thickness	EJTCUXX506A2		Call
6.00" Diameter x 0.250" Thickness	EJTCUXX506A4		Call
8.00" Diameter x 0.125" Thickness	EJTCUXX508A2		Call
8.00" Diameter x 0.250" Thickness	EJTCUXX508A4		Call

Copper, Cu (99.99% Purity)			
Size	Part No.	Stocked Item	Price
1.00" Diameter x 0.125" Thickness	EJTCUXX401A2	•	Call
1.00" Diameter x 0.250" Thickness	EJTCUXX401A4	•	Call
2.00" Diameter x 0.125" Thickness	EJTCUXX402A2	•	Call
2.00" Diameter x 0.250" Thickness	EJTCUXX402A4	•	Call
3.00" Diameter x 0.125" Thickness	EJTCUXX403A2	•	Call
3.00" Diameter x 0.250" Thickness	EJTCUXX403A4	•	Call
4.00" Diameter x 0.125" Thickness	EJTCUXX404A2	•	Call
4.00" Diameter x 0.250" Thickness	EJTCUXX404A4	•	Call
6.00" Diameter x 0.125" Thickness	EJTCUXX406A2		Call
6.00" Diameter x 0.250" Thickness	EJTCUXX406A4	•	Call
8.00" Diameter x 0.250" Thickness	EJTCUXX408A4	•	Call

## ■ Copper Oxide, CuO (Bond)

Copper Oxide, CuO (99.7%-99.9% Purity)			
Size	Part No.	Stocked Item	Price
1.0" Diameter x 0.125" Thickness	EJTCUOX271A2		Call
1.0" Diameter x 0.250" Thickness	EJTCUOX271A4		Call
2.0" Diameter x 0.125" Thickness	EJTCUOX272A2	•	Call
2.0" Diameter x 0.250" Thickness	EJTCUOX272A4	•	Call
3.0" Diameter x 0.125" Thickness	EJTCUOX273A2		Call
3.0" Diameter x 0.250" Thickness	EJTCUOX273A4		Call
4.0" Diameter x 0.125" Thickness	EJTCUOX274A2		Call
4.0" Diameter x 0.250" Thickness	EJTCUOX274A4		Call



Copper, Cu



Copper Oxide, CuO